


Space Requirements and Site Preparation for a Bouncy House

- Inflatables require a walkway of 3 feet around the perimeter. Please plan on at least 20 feet of vertical clearance from tree branches and other overhead obstructions.
- When we set up for a public event, the customer set up area in front should be at least as wide as the inflatable and 10 feet deep.
- We will NOT set up under any power lines.
- We will NOT set up near a swimming pool.
- The site should be relatively level; maximum of six inches of slope per ten feet
- Make sure there are no underground irrigation pipes, telephone cables or electric cables close to the perimeter of the inflatable. We use either 12" stakes or sand bags to secure the inflatable.
- Timed irrigation sprinkler systems should be turned off.
- Irrigation sprinkler heads should be well marked.
- A standard 110 volt outlet within 50 – 100 feet is required. The outlet should be at least 20 amps. It is best if the outlet not be shared with other large equipment. We use 10 – 12 gauge extension cords.
- A 15 x 17 foot bouncy house is depicted below as an example.



- We would appreciate it if you would clear the site of all sharp sticks, animal waste, large rocks and other large debris before we arrive. If animal waste is removed, please cover the spot to protect our equipment from residue.
- For rentals we set up on grass or indoors only.
- **Climb for Fun, Inc. reserves the right to refuse rental if we deem the site to be unsafe or likely to damage or soil our equipment.**

Safety Rules

Even though bouncy houses are quite safe, there are still a few safety rules that we follow. To reduce the likelihood of an injury, we will be sure that the people in the bouncer at any given time are of similar weight and size. The number of participants in the bouncer will be kept to a reasonable level. Under normal play circumstances in a 15' x 15' bouncy house, the following number of participants is considered reasonable:

Weight of participants / LBS	<40	40 – 75	76 – 125	> 125
Number of participants	8-9	6-8	5-6	4

Personnel in charge of the bouncy house will enforce the following safety rules.

- Adult supervision will be required at all times.
- Persons not following the safety rules will be asked to leave the bouncer.
- Bounce participants should remove shoes, sharp objects, and eye glasses before entering the bouncer.
- All bounce participants must empty their pockets before entering the bouncer. Climb for Fun, Inc. is not responsible for articles lost during the operation of the bouncy house.
- Bounce participants will be grouped according to age and size.
- Tired children will be removed from the bouncer.
- There will be no flips, piling on, fighting or wrestling.
- We will not allow running and/or bouncing against the walls of the bouncy house.
- We will not allow bouncing against the netted sides or entrance wall.
- Participants should not bounce any closer than two feet from each other or from the door.
- There will be no running or jumping through the door of the bouncer
- Participants may not climb or hang from the interior or exterior of the bouncer.
- No **GUM**, food, drink, or candy is allowed in or around the bouncer.
- We will not operate the bouncy house if the wind is above 20 mph
- We will not allow bouncing off the entrance ramp or outside of the bouncer.
- Bounce participants should not sit or lay down while others are bouncing around them, as a jumping participant could fall down on top of a sitting or lying participant.
- **No silly string, or any other substance is allowed in the bouncer.** Violation of this rule will result in a significant damage charge.